

# राष्ट्रीय प्रत्यायन बोर्ड

चौथा तल, ईस्ट टावर, एन. बी. सी. प्लेस, भीष्म पितामह मार्ग, प्रगति विहार, लोधी रोड, नई दिल्ली -110003

## NATIONAL BOARD OF ACCREDITATION

4th Floor, East Tower, NBCC Place, Bhisham Pitamah Marg, Pragati Vihar, Lodhi Road, New Delhi 110003



F.No- 33-429/2020-NBA

Date: 18-04-2022

To  
The Principal  
Stella Mary's College of Engineering,  
Aruthenganvilai, Kallukatti Junction,  
Azhikal Post,  
Kanyakumari District-629202,  
Tamil Nadu

**Subject: Accreditation status of UG Engineering programs applied by Stella Mary's College of Engineering, Aruthenganvilai, Kallukatti Junction, Azhikal Post, Kanyakumari District-629202, Tamil Nadu.**

Sir,

This has reference to your application I.D. No. 5016-07/10/2020 seeking accreditation by National Board of Accreditation to UG Engineering programs offered by Stella Mary's College of Engineering, Aruthenganvilai, Kallukatti Junction, Azhikal Post, Kanyakumari District-629202, Tamil Nadu.

2. An Expert Team conducted online evaluation of the programs from 7<sup>th</sup> to 9<sup>th</sup> January, 2022. The report submitted by the Expert Team was considered by the concerned Committees constituted for the purpose in NBA. The Competent Authority in NBA has approved the following accreditation status to the programs as given in the table below:

Sl. No.	Name of the Program(s) (UG)	Basis of Evaluation	Accreditation Status	Period of validity	Remarks
(1)	(2)	(3)	(4)	(5)	(6)
1.	Computer Science & Engineering	Tier II June 2015 Document	Accredited	Academic Years 2022-2023 to 2024-2025 i.e. upto 30-06-2025	Accreditation status granted is valid for the period indicated in Col.5 or till the program has the approval of the Competent Authority, whichever is earlier
2.	Mechanical Engineering		Accredited		

3. It may be noted that only students who graduate during the validity period of accreditation, will be deemed to have graduated with an NBA accredited degree.

4. The programs have been granted accreditation for 3 years. Stella Mary's College of Engineering, Aruthenganvilai, Kallukatti Junction, Azhikal Post, Kanyakumari District-629202, Tamil Nadu should submit the Compliance Report at least six months before the expiry of validity of accreditation mentioned above so as to be eligible for consideration by the concerned Committee in NBA for further processing of the accreditation status.

Contd./...